JQuery Mondial Relay plugins

V3 – Link Intro, Demo and Documentation :

http://widget.mondialrelay.com/parcelshop-picker/v3_0/codesamples/Sample-LightImplementation.aspx

Usage

In order to use this widget, you just have to know the place you want to display it and in which field you want to get the PUP number back.

Once these questions have been solved, you just have to reference our widget, Jquery (if you don't already use it) and the GoogleMap API.

view plaincopy to clipboardprint?

```
1.  <!--On charge Jquery depuis le CDN de google-->
2.  <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.6.2/jquery.min.js"></script>
3.  <!--On charge Google Map API-->
4.  <script type="text/javascript" src="https://maps.googleapis.com/maps/api/js?sensor=false"></script>

5.   <!--On charge le widget mondial relay depuis leurs serveurs-->
6.  <script type="text/javascript" src="http://widget.mondialrelay.com/parcelshop-
    picker/v3_0/scripts/jquery.plugin.mondialrelay.parcelshoppicker.min.js"></script>
```

Then, insert the code lines below :

view plaincopy to clipboardprint?

```
1.  $(document).ready(function () {
2.          // Charge le widget dans la DIV d'id "Zone_Widget" avec les paramètres de base
3.          // renverra la selection de l'utilisateur dans le champs d'ID "Retour_Widget"
4.           $("#Zone_Widget").MR_ParcelShopPicker({
5.                   Target: "#Retour_Widget",  // selecteur jquery ou renvoyer l'ID du relais selection
    né
6.                   Brand: "BDTEST  ",  // votre code client
7.                   Country: "FR"  /* pays*/  });
8.           });
9.  })
10.
```

Done ! Loading your page, the widget should appear.
Of course, you can adapt widget's behavior using the parameters below.

Parameters

Option	Mandatory	Description
Target	**YES**	**JQUERY selector of the element in which chosen PUP ID will be sent (generally in an « *input hidden* » field).**
Brand	**YES**	**Your Mondial Relay's brand ID number**

JQuery Mondial Relay plugins

Country	**YES (default: FR)**	**ISO Code : 2 letters of the country being searched**
TargetDisplayInfoPR	No	**JQUERY selector of the element in which complete address information of the chosen PUP will be sent**.
CSS	No (default: 1)	Specifies that you'll use your own CSS stylesheet using the value « 0 ».
PostCode	No	Default searching zipcode
AllowedCountries	No	Authorized countries list (ISO 2 letters code separated by commas)
ColLivMod	No (default: 24R)	Enables to filter PUPs depending on delivery mode used. (PUP L (24R), XL (24L), XXL (24X)) Please see your contract for further information.
Weight	No	Enables to filter PUPs depending on parcel's weight (in grammes)
NbResults	No (default:7)	Number of PUPs returned
SearchDelay	No	Enables to specify number of days between PUP search and parcel's collection. This option enables to filter PUPs which could be on holiday at delivery time.

JQuery Mondial Relay plugins

ShowResultsOnMap	No (default: true)	Enables / disables the display of search results on a map.
MapScrollWheel	No (default : false)	Activates the zoom on scrolling the map.
MapStreetView	No (default: false)	Activates Street View mode on the map. (Be careful with Google's quotas).
OnParcelShopSelected	No	Callback function. PUP information are returned in an object contained into the "Data" parameter. • Adresse 1: "9 AVENUE ANTOINE PINAY " • Adresse 2: "" • CP: "59510" • HoursHtmlTable: "" • ID: "066974" • Lat: "50,65001880" • Long: "03,19895540" • Nom: "AGENCE MONDIAL RELAY " • Pays: "FR" • Photo: null • Ville: "HEM
Service	No	It permits to filter the Point Relais® by the services offered. Use this filter in accordance with your Mondial Relay technical support.